TMS-SCE

TE Internal #: 1099510001 TMS-SCE, Printable Tubing, Ladder, Military, 3:1 Shrink Ratio, White, Markers per Sleeve 1, Length 50 mm [2 in], 1.5 mm [.062 in] Recovered Inside

View on TE.com >



Identification & Labeling > Printable Tubing > TMS-SCE MILITARY GRADE SLEEVES



Printable Tubing Type: Ladder Printable Tubing Grade: Military Printable Tubing Shrink Ratio: 3:1 Primary Product Color: White Markers per Sleeve: 1

All TMS-SCE MILITARY GRADE SLEEVES (153)

Features

Product Type Features

Printable Tubing Type

Ladder

Printable Tubing Grade	Military
Body Features	
Printable Tubing Shrink Ratio	3:1
Primary Product Color	White
Markers per Sleeve	1
Dimensions	
Product Length	50 mm[2 in]
Supplied Inner Diameter	4.8 mm[.187 in]
Recovered Inside Diameter	1.5 mm[.062 in]
Compatible Cable Diameter Range	1.7 – 4. mm[.069 – .16 in]
Usage Conditions	
Operating Temperature Range	-55 – 135 °C[-67 – 275 °F]
Operation/Application	
Recommended Ribbon	See TE Document 411-121005 the Printer Product Ribbon Matrix

TMS-SCE, Printable Tubing, Ladder, Military, 3:1 Shrink Ratio, White, Markers per Sleeve 1, Length 50 mm [2 in], 1.5 mm [.062 in] Recovered Inside



Printer/Label Features Recommended Printer See TE Document 411-121005 the Printer Product Ribbon Matrix Thermal Transfer Printer Technology Packaging Features Packaging Quantity 1000 **Product Compliance** For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU Compliant EU ELV Directive 2000/53/EC Compliant No Restricted Materials Above Threshold China RoHS 2 Directive MIIT Order No 32, 2016 Current ECHA Candidate List: JAN 2022 EU REACH Regulation (EC) No. 1907/2006 (223)

Candidate List Declared Against: JAN 2022 (223)

Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Not applicable for solder process capability

Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

TMS-SCE, Printable Tubing, Ladder, Military, 3:1 Shrink Ratio, White, Markers per Sleeve 1, Length 50 mm [2 in], 1.5 mm [.062 in] Recovered Inside








Also in the Series | TMS-SCE



Customers Also Bought



TMS-SCE, Printable Tubing, Ladder, Military, 3:1 Shrink Ratio, White, Markers per Sleeve 1, Length 50 mm [2 in], 1.5 mm [.062 in] Recovered Inside



Documents

Product Drawings TMS-SCE-1K-3/16-2.0-9

English

Datasheets & Catalog Pages IDENTIFICATION SELECTION GUIDE

English

Product Specifications

Specification for TMS-SCE, TMS-CT and TTMS products

English

IDENTIFCATION PRINTER PRODUCT RIBBON MATRIX

English

Instruction Sheets Instruction Sheet (non U.S.)

English