CIRP2410GSS <

CIR

TE Internal #: Y5015-00000077943 Circular Connector Seals, Grommet, Cable-to-Cable, 7 Position, Wire & Cable, Power & Signal, -67 – 257 °F [-55 – 125 °C], CIR View on TE.com >



Connectors > Circular Connectors > Circular Connector Accessories > Circular Connector Seals > WIRE SEAL GROMMET - CIRP



Connector Seal Type: Grommet

Connector System: Cable-to-Cable

Number of Positions: **7**

Accepts Cable Diameter Range: 1.86 – 4.9 mm [.073 – .193 in]

Connector & Contact Terminates To: Wire & Cable

All WIRE SEAL GROMMET - CIRP (36)

Features

Product Type Features

Connector Seal Type

Connector System

Grommet

Cable-to-Cable

Connector System	Cable-to-Cable					
Connector & Contact Terminates To	Wire & Cable					
Configuration Features						
Number of Positions	7					
Dimensions						
Accepts Cable Diameter Range	1.86 – 4.9 mm[.073 – .193 in]					
Usage Conditions						
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]					
Operation/Application						
Circuit Application	Power & Signal					
Packaging Features						
Packaging Quantity	50					
Packaging Method	Box					
Other						
Comment	For TECIRP shell size 24					

C For support call+1 800 522 6752

CIRP2410GSS

Circular Connector Seals, Grommet, Cable-to-Cable, 7 Position, Wire & Cable, Power & Signal, -67 – 257 °F [-55 – 125 °C], CIR



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUL 2017 (174) SVHC > Threshold: Not Yet Reviewed	
Halogen Content	Not Yet Reviewed for halogen content	

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or gualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts





Also in the Series | CIR

CIRP2410GSS

Circular Connector Seals, Grommet, Cable-to-Cable, 7 Position, Wire & Cable, Power & Signal, -67 – 257 °F [-55 – 125 °C], CIR







Customers Also Bought



TE Part #1623804-4 Wirewound Resistor: Horizontal Mount	RECP ASSY	PLUG ASSY	PLUG ASSY
the second se	the second s	GENICOM MARE DIS26 JS&CIS03A2 IM SPOLE /I32-DIS71	
TE Part #1-1490413-6 NEST, 90 DEG SOLISTRAND, 4	TE Part #1-1490413-8 NEST, 90 DEG SOLISTRAND1/0	TE Part #1617074-9 3SBC5005K1 = RELAY	TE Part #E96667-000 B-155-3806-W1

Documents

Product Drawings
GROMMET

French

Datasheets & Catalog Pages CIRP Catalog

CIRP Catalog

English

CIRP2410GSS

Circular Connector Seals, Grommet, Cable-to-Cable, 7 Position, Wire & Cable, Power & Signal, -67 – 257 °F [-55 – 125 °C], CIR

